



**UNITED STATES ENVIRONMENTAL PROTECTION AGENCY
WASHINGTON, D.C. 20460**

**OFFICE OF CHEMICAL SAFETY
AND POLLUTION PREVENTION**

January 27, 2020

Susan E. Lewis
CEO
Weed Works Inc.
P.O. Box 2711
Oldsmar, FL 34677

Subject: Non-PRIA (Pesticide Registration Improvement Act) Labeling Amendment – Updating the label per the recommendations outlined in the Agency’s label dated August 26, 2014.
Product Name: Weed Works Weed & Grass Killer
EPA Registration Number: 81936-1
Application Date: 12/14/2014
OPP Decision Number: 498549

Dear Mrs. Lewis:

The amended labeling referred to above, submitted in connection with registration under the Federal Insecticide, Fungicide, and Rodenticide Act (FIFRA), as amended, is acceptable.

This approval does not affect any terms or conditions that were previously imposed on this registration. You continue to be subject to existing terms or conditions on your registration and any deadlines connected with them.

A stamped copy of your labeling is enclosed for your records. This labeling supersedes all previously accepted labeling. You must submit one (1) copy of the final printed labeling before you release this product for shipment with the new labeling. In accordance with 40 CFR § 152.130(c), you may distribute or sell this product under the previously approved labeling for 18 months from the date of this letter. After 18 months, you may only distribute or sell this product if it bears this new revised labeling or subsequently approved labeling. “To distribute or sell” is defined under FIFRA section 2(gg) and its implementing regulation at 40 CFR § 152.3.

Should you wish to add/retain a reference to your company’s website on your label, then please be aware that the website becomes labeling under FIFRA and is subject to review by the U.S. Environmental Protection Agency (EPA). If the website is false or misleading, the product will be considered to be misbranded and sale or distribution of the product is unlawful under FIFRA section 12(a)(1)(E). 40 CFR § 156.10(a)(5) lists examples of statements the EPA may consider false or misleading. In addition, regardless of whether a website is referenced on your product’s label, claims made on the website may not substantially differ from those claims approved through the registration process. Therefore, should the EPA find or if it is brought to our attention that a website contains false

Page 2 of 2
EPA Reg. No. 81936-1
OPP Decision No. 498549

or misleading statements or claims substantially differing from the EPA-approved registration, the website will be referred to the EPA's Office of Enforcement and Compliance Assurance.

Your release for shipment of this product constitutes acceptance of these terms. If these terms are not complied with, this registration will be subject to cancellation in accordance with FIFRA section 6.

If you have any questions, please contact Menyon Adams by phone at (703) 347-8496 or via email at adams.menyon@epa.gov.

Sincerely,

A handwritten signature in black ink, appearing to read 'Gina Burnett', is positioned above the typed name.


Gina Burnett, Senior Regulatory Specialist
Biochemical Pesticides Branch
Biopesticides and Pollution
Prevention Division (7511P)
Office of Pesticide Programs

Enclosure

MASTER LABEL

Sublabel 1: Residential Uses
Sublabel 2: Commercial Uses
Weed Works Inc.

WeedWorks
WEED & GRASS KILLER



A HORTICULTURAL BIOPESTICIDE

For non-selective control of herbaceous broadleaf weeds and weed grasses which surround food crops, non-food crops and non-production agricultural, farmstead, right-of-way, and institutional land sites.



For Organic Gardening

Active Ingredient	By Wt.
Acetic Acid.....	20.0%
Other Ingredients.....	<u>80.0%</u>
Total.....	100%

*Equivalent to 200 grain vinegar by filtration

KEEP OUT OF REACH OF CHILDREN
DANGER - PELIGRO

Si usted no entiende la etiqueta, busque a alguien para que se la explique a usted en detalle. (If you do not understand the label, find someone to explain it to you in detail.)

Net Contents: 1 GALLON

EPA Registration No. 81936-1
EPA Establishment No. 81935-GA-001

BATCH CODE: _____

Protect from high heat and freezing temperatures.
Packaged for:

Weed Works, Inc.
2023 E. Sims Way, Suite 358
Port Townsend, WA 98368

SUBLABEL 1: Residential

FIRST AID	
IF IN EYES	<p>Hold eyelids open and flush with a steady, gentle stream of water for 15-20 minutes.</p> <p>Remove contact lenses, if present, after the first 5 minutes, then continue rinsing eye.</p> <p>Call a poison control center or doctor for advice.</p>
IF ON SKIN OR CLOTHING	<p>Take off contaminated clothing.</p> <p>Rinse skin immediately with plenty of water for 15-20 minutes.</p> <p>Call a poison control center or doctor for further treatment advice.</p>
IF SWALLOWED	<p>Call a poison control center or doctor immediately for treatment advice.</p> <p>Have person sip a glass of water if able to swallow.</p> <p>Do not induce vomiting unless told to do so by poison control center or doctor.</p> <p>Do not give anything by mouth to an unconscious person.</p>
IF INHALED	<p>Move person to fresh air.</p> <p>If person is not breathing, call 911 or an ambulance, then give artificial respiration, preferably mouth-to-mouth, if possible.</p> <p>Call a poison control center or doctor for further treatment advice.</p>
NOTE TO PHYSICIAN: Probable mucosal damage may contra- indicate the use of gastric lavage.	
Have the product container or label with you when calling a poison control center or doctor, or going for treatment. You may also contact 1-800-858-7378 for emergency medical treatment.	

PRECAUTIONARY STATEMENTS
Hazardous to Humans and Domestic Animals

DANGER: Corrosive – causes irreversible eye damage. Wear goggles or face shield when handling. Harmful if absorbed through skin. Harmful if swallowed. Do not get in eyes, on skin, or on clothing. In case of contact, immediately flush eyes or skin with plenty of water. Get medical attention if irritation persists. Wash thoroughly with soap and water after handling. Wear personal protection equipment when handling and/or applying.

USER SAFETY RECOMMENDATIONS: Users must:

- Remove clothing immediately if pesticide gets inside. Then wash thoroughly and put on clean clothing.

Environmental Hazards:

For Terrestrial Use: To protect the environment, do not allow pesticide to enter or run off into storm drains, drainage ditches, gutters or surface waters. Applying this product in calm weather when rain is not predicted for the next 24 hours will help to ensure that wind or rain does not blow or wash pesticide off the treatment area. Do not apply to roosting, nesting, or foraging birds, or to flowering plants during times of day when bees are actively foraging.

This pesticide is highly toxic to bees exposed to spray drift onto blooming crops or weeds. Do not apply this product or allow it to drift to blooming crops or weeds if bees are actively visiting the treatment area.

This pesticide is toxic to birds exposed to spray drift, direct treatment or residues on crops or weeds. Do not apply this product or allow to drift to crops or weeds if birds are actively visiting the treatment area.

This pesticide is toxic to fish and aquatic invertebrates.

For terrestrial use only. Do not apply directly to water.

DIRECTIONS FOR USE

It is a violation of federal law to use this product in a manner inconsistent with its labeling.

Weed Works is a fast-acting, non-selective contact killer containing an acid that is non-residual in soil. Foilar contact results in rapid desiccation and control of annual weeds and grasses, and top growth reduction of herbaceous perennial weeds and grasses (see tables below). Retreatment may be required for control of established perennial weeds. Weed Works can be applied up to and including the day of harvest.

Avoid application to reactive metals such as aluminum, tin, iron or items such as fencing or lawn furniture in order to prevent staining, mottling, or otherwise interfering with finished metal surfaces. In case of contact, rinse the sprayed surfaces with water.

TYPICAL WEEDS CONTROLLED

ANNUAL BROADLEAF WEEDS	PERENNIAL BROADLEAF WEEDS	LIVERWORTS*
Black Medic	Amaranth spp	*For liverworts dilute Weed Works at a rate of 1 gallon of Weed Works to 2 gallons of water. For all other weeds use full strength.
Chickweed	Canada thistle	
Black Nightshade	Cinquefoil (silvery)	
Cinquefoil (rough)	Dandelion	
Common groundsel	Ground Ivy	
Hairy nightshade	Milkweed	
Lambsquarters	Plantain spp	
Mustard spp	Toadflax	
Oxalis spp	Tufted vetch	
Pigweed spp	Wild carrot	
Ragweed spp	Moss	
Shepherd's purse	Poison Ivy	
Smartweed (Lady's Thumb)	Poison Oak	
Velvet Leaf		
Henbit		
ANNUAL GRASSES	PERENNIAL GRASSES AND SEDGE	
Crab grass	Bluegrass	
Foxtail spp	Nutsedge	
Italian Ryegrass	Quack grass	
Poa annua	Witches grass	
Barnyardgrass		

Weed Works Weed & Grass Killer

is a 20.0% Acetic Acid herbicide labeled for residential use, food crops, non-production agricultural use, institutional use, and users at all sites listed below.

RESIDENTIAL USES:

- Ready-to-Use
- Convenient Spray Bottle

Weed Works is recommended for the control of herbaceous broadleaf and grassy weeds and unwanted grasses.

- To control weeds within the confines or at/around buildings, storage areas, fence rows and driveways. Do not apply to bare ground, bare concrete or any bare hardscape. Only apply to the foliage of weeds when weeds are present.
- To control weeds in home lawns, gardens and landscaped areas, private association ornamental gardens, golf courses, school play fields, municipal, state and federal parks and recreation areas, non-cropland patios, sidewalks and bike/hike trails, kennels, dog runs, and other animal enclosures. Do not apply to bare ground, bare concrete or any bare hardscape. Only apply to the foliage of weeds when weeds are present.

NOTE: CONTACTED VEGETATION WILL BE AFFECTED. DO NOT ALLOW WEEDWORKS WEED AND GRASS KILLER TO COME INTO CONTACT WITH DESIRABLE PLANTS. OVERSPRAY OR DRIFT WILL INJURE OR KILL CONTACTED VEGETATION INCLUDING ANY CROP PLANTS. WHEN SPOT TREATING, USE A SHIELD OF CARDBOARD OR PLASTIC AROUND DESIRABLE PLANTS. IF SPRAY FALLS OR DRIFTS ONTO DESIRABLE PLANTS, RINSE OFF WITH WATER.

Food crops and Ornamentals – Such as, but not limited to, fruits and vegetables, woody ornamentals, potted crops, foliage plants, greenhouses, shadehouses and any other plant production structure in which product can be applied without contacting desirable plants. Applications to weeds in turf will kill surrounding turf.

FOR SPOT TREATMENT APPLICATION: Direct spray with a single nozzle applicator and thoroughly wet undesirable weed foliage. Re-treatment of perennial weed growth may be required for control.

SPRAY EQUIPMENT:

Do not apply when wind conditions favor movement of spray away from the site of application.

When applying this product in a broadcast application onto the weeds but away from the crop or any other desirable plants.

Utilize nozzles that are designed to produce large spray droplets to reduce drift.

Spray nozzles need to be plastic or 3/16th stainless steel as any other metal will eventually corrode.

FOR CONTROL OF LARGER ANNUALS AND BURNDOWN OF PERENNIAL WEED

GROWTH: Larger annual weeds and perennials are more difficult to control and may require retreatment. Treat initially as recommended above and repeat if new growth of leaves appears. Thorough coverage of all weed foliage is necessary to achieve desirable control. To reduce amount of product required controlled well-established weed stands, mow or cut to height of 4-6 inches and remove cut vegetation before application of product.

TIMING OF APPLICATIONS: Best results are achieved from applications to actively growing young weeds. Weeds that are mature, dormant or hardened due to moisture stress are more tolerant of herbicide treatments. For best results spray in full sunshine at temperatures above 65°F. Only contacted vegetation will be affected.

WARRANTY STATEMENT: To the extent required by law, Weed Works, Inc. warrants that the product conforms to its chemical description and is reasonably fit for the purposes stated on the label only when used in accordance with the label directions. Weed Works, Inc. makes no other express or implied warranties either of merchantability or fitness for a particular use and shall not be liable for misuse or conditions beyond its control, such as handling or storage.

**Weed Works, Inc.
2023 E. Sims Way, Suite 358
Port Townsend, WA 98368**

STORAGE AND DISPOSAL:

Storage: Do not contaminate water, food, or feed by storage or disposal. Keep from freezing. Store only in original tightly sealed container and out of reach of children.

Container Handling: Non refillable container. Do not reuse this container. If empty offer for recycling if available or place in trash. If partially filled: Call your local solid waste agency or 1-800-CLEANUP for disposal instructions. Never place unused product down any indoor or outdoor drain.

Pesticide Disposal: To avoid waste, use all material in this container by application according to label directions. If wastes cannot be avoided, offer remaining product to a waste disposal facility or pesticide disposal program (often such programs are run by state or local governments or by industry).

SUBLABEL 2: Commercial Uses

Weed Works Inc.

WeedWorks
WEED & GRASS KILLER

A HORTICULTURAL BIOPESTICIDE

For non-selective control of herbaceous broadleaf weeds and weed grasses which surround food crops, non-food crops and non-production agricultural, farmstead, right-of-way, and institutional land sites.



For Organic Production

Active Ingredient	By Wt.
Acetic Acid.....	20.0%
Other Ingredients.....	<u>80.0%</u>
Total.....	100%

*Equivalent to 200 grain vinegar by filtration

KEEP OUT OF REACH OF CHILDREN
DANGER - PELIGRO

Si usted no entiende, busque a alguien para que se la explique a usted en detalle. (If you do not understand the label, find someone to explain it to you in detail.)

Net Contents: 1 GALLON

EPA Registration No. 81936-1
EPA Establishment No. 81935-GA-001

BATCH CODE: _____

Protect from high heat and freezing temperatures.
Packaged for:

Weed Works, Inc.
2023 E. Sims Way, Suite 358
Port Townsend, WA 98368

A HORTICULTURAL BIOPESTICIDE

For non-selective control of herbaceous broadleaf weeds and weed grasses which surround food crops, non-food crops and non-production agricultural, farmstead, right-of-way, and institutional land sites.

FIRST AID	
IF IN EYES	Hold eyelids open and flush with a steady, gentle stream of water for 15-20 minutes. Remove contact lenses, if present, after the first 5 minutes, then continue rinsing eye. Call a poison control center or doctor for advice.
IF ON SKIN OR CLOTHING	Take off contaminated clothing. Rinse skin immediately with plenty of water for 15-20 minutes. Call a poison control center or doctor for further treatment advice.
IF SWALLOWED	Call a poison control center or doctor immediately for treatment advice. Have person sip a glass of water if able to swallow. Do not induce vomiting unless told to do so by poison control center or doctor. Do not give anything by mouth to an unconscious person.
IF INHALED	Move person to fresh air. If person is not breathing, call 911 or an ambulance, then give artificial respiration, preferably mouth-to-mouth, if possible. Call a poison control center or doctor for further treatment advice.
NOTE TO PHYSICIAN: Probable mucosal damage may contra- indicate the use of gastric lavage.	
Have the product container or label with you when calling a poison control center or doctor, or going for treatment. You may also contact 1-800-858-7378 for emergency medical treatment.	

PRECAUTIONARY STATEMENTS

Hazards to Humans and Domestic Animals

DANGER: Corrosive – causes irreversible eye damage. Wear goggles or face shield when handling. Harmful if absorbed through skin. Harmful if swallowed. Do not get in eyes, on skin, or on clothing. In case of contact, immediately flush eyes or skin with plenty of water. Get medical attention if irritation persists. Wash thoroughly with soap and water after handling. Wear personal protection equipment when handling and/or applying.

PERSONAL PROTECTION EQUIPMENT (PPE): Applications and other handlers must wear appropriate protective eyewear such as face shield or goggles, and face mask (with MSHA/NIOSH approval number prefix such as N-95, R-95 or P-95), long sleeved shirt and long pants, waterproof gloves and shoes plus socks.

USER SAFETY RECOMMENDATIONS: Users must:

- Wash hands before eating, drinking, chewing gum, using tobacco or using the toilet
- Remove clothing immediately if pesticide gets inside. Then wash thoroughly and put on clean clothing.
- Remove PPE immediately after handling this product. Wash the outside of the gloves before removing. As soon as possible, wash thoroughly and change into clean clothing.

Environmental Hazards:

This pesticide is toxic to birds exposed to spray drift, direct treatment or residues on crops or weeds. Do not apply this product or allow to drift to crops or weeds if birds are actively visiting the treatment area.

This pesticide is toxic to fish and aquatic invertebrates.

For terrestrial uses: Do not apply directly to water; or to areas where surface water is present or to intertidal areas below the mean water mark. Do not contaminate water when disposing of equipment washwater or rinsate.

DIRECTIONS FOR USE

It is a violation of federal law to use this product in a manner inconsistent with its labeling. Read the entire label before using. Do not apply this product in a way that will contact workers or other persons, either directly or through drift. Only protected handlers may be in the area during application. For any requirements specific to your State or Tribe, consult the State or Tribal agency responsible for pesticide regulation.

Avoid application to reactive metals such as aluminum, tin iron or items such as fencing or lawn furniture in order to prevent staining, mottling, or otherwise interfering with finished metal surfaces. In case of contact, rinse the sprayed surfaces with water.

AGRICULTURAL USE REQUIREMENTS

Use this product only in accordance with its labeling and the worker protection standard, 40 CFR part 170. This standard contains requirements for the protection of agricultural workers on farms, forests, nurseries, and greenhouses, and handlers of agricultural pesticides. It contains requirements for training, decontamination, notification, and emergency assistance. It also contains specific instructions and exceptions pertaining to the statements on this label about personal protective equipment (PPE), notification to workers, and restricted-entry interval. The requirements in this box apply to uses of this product that are covered by the Worker Protection Standard.

Do not enter or allow worker entry into treated areas during the restricted entry interval (REI) of ____ hours. The REI is 72 hours in outdoor areas where the average annual rainfall is less than 25 inches per year.

PPE required for entry to treated areas (that is permitted under the Worker Protection Standard and that involves contact with anything that has been treated, such as plants, soil, or water), is:

- coveralls over long -sleeved shirt and long pants
- chemical-resistant gloves
- chemical-resistant footwear plus socks
- protective eyewear
- chemical-resistant headgear

Notify workers of the application by warning them orally and by posting warning signs at entrances to treated areas.

TYPICAL WEEDS CONTROLLED

ANNUAL BROADLEAF WEEDS	PERENNIAL BROADLEAF WEEDS	LIVERWORTS*
Black Medic	Amaranth spp	*For liverworts dilute Weed Works at a rate of 1 gallon of Weed Works to 2 gallons of water. For all other weeds use full strength.
Chickweed	Canada thistle	
Black Nightshade	Cinquefoil (silvery)	
Cinquefoil (rough)	Dandelion	
Common groundsel	Ground Ivy	
Hairy nightshade	Milkweed	
Lambsquarters	Plantain spp	
Mustard spp	Toadflax	
Oxalis spp	Tufted vetch	
Pigweed spp	Wild carrot	
Ragweed spp	Moss	
Shepherd's purse		
Smartweed (Lady's Thumb)		
Velvet Leaf		
Henbit		
ANNUAL GRASSES	PERENNIAL GRASSES AND SEDGE	
Crab grass	Bluegrass	
Foxtail spp	Nutsedge	
Italian Ryegrass	Quack grass	
Poa annua	Witches grass	
Barnyardgrass		

Weed Works Weed & Grass Killer

is a 20.0% Acetic Acid herbicide labeled for residential use, farmstead, food crops, non-production agricultural use, institutional use and users at all sites indicated below!

Use WeedWorks to control weeds which surround all food crops, non-food crops (ornamentals) and non-production agricultural, farmstead, right-of-way, and institutional land sites. Use to control weeds in interstate freeways/highways, federal and state highways and city/county roads and walk ways, railroad rights-of-way, tank farms, and easements, and other rights-of-way, industrial sites and vacant lots. Suitable to keep down weeds on all botanical and private association ornamental gardens, kennels, dog runs and other animal enclosures and walk ways.

DO NOT SPRAY DIRECTLY ONTO FOOD CROPS

DRIFT MANAGEMENT

Drift is the off site movement of spray away from the intended target. Managing drift is important for the protection of endangered species. In addition, this product is non-selective so it will severely injure or kill any crop plants it comes in contact with.

Do not apply this product by aerial application.

Do not apply when wind conditions favor movement of spray away from the site of application.

When applying this product in a broadcast application, utilize a hooded sprayer, shielded or other spray equipment that prevents the movement of spray away from the target.

Utilize nozzles that are designed to produce large spray droplets to reduce drift.

EARLY SEASON ANNUAL WEED CONTROL: Apply product when weeds are small (3 to 5 leaf stage) and actively growing. Spray WeedWorks on unwanted weeds (vegetation) to point of wetness. For best results, spray in full sunshine at temperatures above 65 degrees Fahrenheit. Dilution of product will reduce effectiveness. Do not dilute. Avoid spraying landscape plants, ornamentals and other desirable foliage as this product causes severe injury to desirable plants.

NOTE: ALL CONTACTED VEGETATION WILL BE AFFECTED. DO NOT ALLOW WeedWorks WEED AND GRASS KILLER TO COME IN CONTACT WITH DESIRABLE PLANTS. OVERSPRAY OR DRIFT WILL INJURE OR KILL CONTACTED VEGETATION INCLUDING ANY CROP PLANTS.

Turf and Ornamentals - Such as, but not limited to, woody ornamentals, potted crops, foliage plants, greenhouses, shade houses and any other plant production structure in which product can be applied without contacting desirable plants. Applications to weeds in turf will kill surrounding turf.

Root and Tuber Vegetables and Leaves of Root and Tuber Vegetables - Such as, but not limited to, carrot, potato, radish, sugar beet, turnip tops, garden beet leaves, sugar beet leaves. Do not broadcast within the growing crop. Apply only with shielded or hooded spray equipment to weeds growing between crop rows.

Bulb Vegetables - Such as, but not limited to, onion, green onion shallots and garlic.

Leafy Vegetables - Such as, but not limited to, celery, head lettuce, leaf lettuce, spinach. Such as, but not limited to broccoli, cauliflower, cabbage, collard and mustard greens. Do not broadcast within the growing crop. Apply only with shielded or hooded spray equipment to weeds growing between crop rows.

Brassica Vegetables - Cole crops - Such as, but not limited to, broccoli, cauliflower, cabbage, collard and mustard greens. Do not broadcast within the growing crop. Apply only with shielded or hooded spray equipment to weeds growing between crop rows.

Legume Vegetables and leaves of legume vegetables - Such as, but not limited to, soybeans, peas, beans, guar and their leaves.

Fruiting Vegetables - Such as, but not limited to, tomato, bell pepper, chili pepper, eggplant and okra. Do not broadcast within the growing crop. Apply only with shielded or hooded spray equipment to weeds growing between crop rows.

Cucurbit Vegetables - Such as, but not limited to, cucumber, squash, cantaloupe, watermelon. Do not broadcast within the growing crop. Apply only with shielded or hooded spray equipment to weeds growing between crop rows.

Citrus Fruits - Such as, but not limited to, orange, grapefruit, lemon and lime. For all fruit crops, spray must be directed under the crop canopy. Application equipment must be hooded or shielded. Any contact with the crop will cause crop injury.

Pome Fruit - Such as, but not limited to, apple and pear. For all fruit crops, spray must be directed under the crop canopy. Application equipment must be hooded or shielded. Any contact with the crop will cause crop injury.

Stone Fruit - Such as, but not limited to, cherry, peach, nectarine and plum. For all fruit crops, spray must be directed under the crop canopy. Application equipment must be hooded or shielded. Any contact with the crop will cause crop injury. In crops where cultivation is possible, cultivate crop middles and reduce the sprayed area by directing the application to the uncultivated base of crop plants.

Berries and small fruit - Such as, but not limited to, strawberry, blackberry, raspberry, blueberry, cranberry, grapes, lingonberry, Saskatoon berry, kiwi fruit, maypop. For all fruit crops, spray must be directed under the crop canopy. Application equipment must be hooded or shielded. Any contact with the crop will cause crop injury. In crops where cultivation is possible, cultivate crop middles and reduce the sprayed area by directing the application to the uncultivated base of crop plants.

Tree nuts - Such as, but not limited to, almond, pecan, pistachio, coconut, betel nut, cashew and walnut. For all fruit crops, spray must be directed under the crop canopy. Application equipment must be hooded or shielded. Any contact with the crop will cause crop injury.

Cereal grains and their straw or fodder - Such as, but not limited to corn, rice, wheat, barley millet, sorghum, amaranth. Do not apply to flooded rice. In corn or other crops where cultivation is possible, cultivate crop middles and reduce the sprayed area by directing the application to the uncultivated base of crop plants. Utilize shielded sprays to protect crop plants and reduce drift.

Forage crops - Grass and Non-grass animal feeds - Such as, but not limited to Bermuda grass, fescue, bluegrass, clover and alfalfa.

Herbs and spices - Such as, but not limited to basil, dill, chive, parsley, cilantro, celery seed, dill seed. Do not broadcast within the growing crop. Apply only with shielded or hooded spray equipment to weeds growing between crop rows.

Oilseed crops - Such as, but not limited to canola, sunflower, flax, rapeseed, mustard, guayule and cram be. Do not broadcast within the growing crop. Apply only with shielded or hooded spray equipment to weeds growing between crop rows. In sunflower or other upright crops where cultivation is possible, cultivate crop middles and reduce the sprayed area by directing the application to the uncultivated base of crop plants.

Tropical fruit - Such as, but not limited to avocado, guava, jujube, noni, mango, star fruit, sugar apple, papaya, lychee, passion fruit, banana, date, olive, tamarind and pineapple. For all fruit crops, spray must be directed under the crop canopy. Application equipment must be hooded or shielded. Any contact with the crop will cause crop injury.

Medicinal Crops - Such as, but not limited to Echinacea, St. John's wort, ginkgo, valerian, ginseng. Do not broadcast within the growing crop. Apply only with shielded or hooded spray equipment to weeds growing between crop rows. In ginkgo or other upright crops where cultivation is possible, cultivate crop middles and reduce the sprayed area by directing the application to the uncultivated base of crop plants.

Mushrooms - Apply pre plant only. Do not apply directly to mushroom beds.

Miscellaneous crops - Such as, but not limited to aloe vera, prickly pear cactus, sugar maple and sweet sorghum for syrup production, peanut, sugar cane, artichoke, cotton, asparagus, kava kava, mint hops, stevia, jojoba, hemp, tobacco, tea, coffee, etc.

FOR SPOT TREATMENT APPLICATION: Direct spray with a single nozzle applicator and thoroughly wet undesirable weed foliage. Re-treatment of perennial weed growth may be required for control.

POST-DIRECTED (Row middles, shielded sprayer or hooded sprayer) for spray application to control weeds, use at the rate of 15 to 30 gallons per acre. Thorough coverage is necessary to achieve desirable control. For dense weed populations and/or heavy use, utilize higher spray volume to ensure adequate coverage. Apply with the flat fan nozzles and at the lowest pressure needed to achieve required coverage, but do not exceed 35 PSI. If treating along the side of crop plants, shielded or hooded sprayers are required to reduce the chance of crop injury.

SPRAY EQUIPMENT:

Do not apply when wind conditions favor movement of spray away from the site of application.

When applying this product in a broadcast application onto the weeds but away from the crop or any other desirable plants.

Utilize nozzles that are designed to produce large spray droplets to reduce drift.

Spray nozzles need to be plastic or 3/16th stainless steel as any other metal will eventually corrode.

FOR CONTROL OF LARGER ANNUALS AND BURNDOWN OF PERENNIAL WEED

GROWTH: Larger annual weeds and perennials are more difficult to control and may require retreatment. Treat initially as recommended above and repeat if new growth of leaves appears. Thorough coverage of all weed foliage is necessary to achieve desirable control. To reduce amount of product required to control well-established weed stands, mow or cut to height of 4-6 inches and remove cut vegetation before application of product.

TIMING OF APPLICATIONS: Best results are achieved from applications to actively growing young weeds. Weeds that are mature, dormant or hardened due to moisture stress are more tolerant of herbicide treatments. For best results spray in full sunshine at temperatures above 65°F. Only contacted vegetation will be affected.

DO NOT APPLY THIS PRODUCT THROUGH ANY TYPE OF IRRIGATION SYSTEM.

NOTE: CONTACTED VEGETATION WILL BE AFFECTED. DO NOT ALLOW WEEDWORKS WEED AND GRASS KILLER TO COME INTO CONTACT WITH DESIRABLE PLANTS. OVERSPRAY OR DRIFT WILL INJURE OR KILL CONTACTED VEGETATION INCLUDING ANY CROP PLANTS. WHEN SPOT TREATING, USE A SHIELD OF CARDBOARD OR PLASTIC AROUND DESIRABLE PLANTS. IF SPRAY FALLS OR DRIFTS ONTO DESIRABLE PLANTS, RINSE OFF WITH WATER.

STORAGE AND DISPOSAL:

Do not contaminate water, food, or feed by storage or disposal.

PESTICIDE DISPOSAL: Wastes resulting from the use of this product may be disposed of on site or at an approved waste disposal facility.

CONTAINER REFILLING/DISPOSAL: Refillable container. Refill this container with 20% acetic acid only. Do not reuse the container for any other purpose. Cleaning the container before final disposal is the responsibility of the person disposing of the container. Cleaning before refilling is the responsibility of the refiller.

To clean the container before final disposal, empty the remaining contents from this container into application equipment or mix tank. Fill the container about 10% full with water. Agitate vigorously or recirculate water with the pump for 2 minutes. Pour or pump rinsate into application equipment or rinsate collection system. Repeat this rinsing procedure two more times.

Offer container for recycling or reconditioning or purchase, and dispose of in a sanitary landfill or by incineration, or, if allowed by State and local authorities, by burning. If burned, stay out of smoke.

WARRANTY STATEMENT: To the extent required by law, Weed Works, Inc. warrants that the product conforms to its chemical description and is reasonably fit for the purposes stated on the label only when used in accordance with the label directions. Weed Works, Inc. makes no other express or implied warranties either of merchantability or fitness for a particular use and shall not be liable for misuse or conditions beyond its control, such as handling or storage.

**Weed Works, Inc.
2023 E. Sims Way, Suite 358
Port Townsend, WA 98368**